



Years in Production	Color					Working Notes	Other Versions	Related Test Batches
		Reducing	Pearlescent	Striking	Technical			
2009-2019	Aether	N	N	N	Y	reactive clear; reacts with silver colors. Do not pickle. Does not etch.	Aether 2 (2016)	
2006-current	Aion	Y	N	N	N	work in a neutral flame, cool, reduce	Aion 2	A-
2014-current	Arke	Y	Y	N	N	work in a neutral flame, cool, reduce	3mm	IL-
2019-current	Atlas	N	N	Y	N	reset, cool, strike		MK-
2009-current	Aurae	Y	Y	N	N	work in a neutral flame, cool, reduce	light, dark, gold	M-. AULTG-
2012-2018	Boreas	Y	Y	N	N	work in a neutral flame, cool, reduce.	replaced with Hyperborea	BE-
2016-2020	Chloe	Y	Y	N	N	speckled; work in a neutral flame, cool, reduce.		TC-, TO-
2010-current	Clio	Y	Y	Y	N	Reset, cool then reduce.	light, dark, odd	NE-, CA-, CE-, CL-
2009-current	Ekho	Y	Y	Y	N	Reset, cool then reduce.	Ekho 2 (2019)	EK-, TE-
2006-current	Elektra	Y	Y	N	N	work in a neutral flame, cool, reduce	Elektra 2 (2007), 2.1, Lyte	E-. EL-, GR
2020-current	Elpis	Y	Y	N	N	work in a neutral flame, cool, reduce		PX-
2013-2019	Euros	Y	N	Y	Y	Strike and/or reduce. Reduce with a shorter cooling cycle for gold flakes.		EU-
2006-2018	Gaia	Y	N	N	N	work in a neutral flame, cool, then reduce.		
2011-current	Helios	Y	N	N	N	work in a neutral flame, cool, reduce		HE-
2021-current	Hyperborea	Y	Y	N	N	work in a neutral flame, cool, reduce		BE-
2015-current	Hyperion	Y	Y	Y	N	Reset, cool then reduce.	Light, Dark	CX-
2015-current	Iaso	Y	Y	N	N	Best on the surface with a Brush Flame, copper reduction		AX-
2014-current	Iris	Y	Y	N	N	Best on the surface with a Brush Flame, multi colored reduction		AX-
2010-current	Kalypso	Y	Y	Y	N	Reset, cool then reduce.		KA-
2007-2016	Khaos	N	N	Y	N	Reset, cool, then strike.	try Atlas	KH-
2017-current	Keto	Y	Y	N	N	speckled; work in a neutral flame, cool, reduce		TC-
2006-2012	Kronos	Y	N	N	N	work in a neutral flame, cool, reduce.	Kronos 2, Super	K-
2018-current	Lotis	N	N	N	Y	avoid overheating		

Years in Production	Color					Working Notes	Other Versions	Related Test Batches
		Reducing	Pearlescent	Striking	Technical			
2007-2017	Luna	N	N	Y	N	reset, cool, strike. Replaced with Skiron.	Luna 2, 2.1 & 3 (2010) try Skiron	L, LL
2015-current	Melia	Y	Y	N	N	Best on the surface with a Brush Flame	Melia 2 (2019)	CC-, EG-
2012-current	Notos	Y	N	N	N	work in a neutral flame, cool, reduce		NO-
2007-2013	Nyx	Y	N	N	Y	work in a neutral flame, cool, reduce, also changes color in the kiln.	Nyx Odd	
2006-2006	Olympia Rain	Y	N	N	N	work in a neutral flame, cool, reduce.	replaced with Aion	
2006-current	Okeanos	Y	Y	Y	N	Either treat as a striking color or reducing color rather than combining.	Okeanos 2 (2020)	OK-, TH-
2018-current	Oracle-Black	N	N	Y	Y	no reset, no cooling, briefly strike before annealing, anneal @950 for 2+ hours		ES-582
2020-current	Oracle Opal	N	N	Y	Y	reset, cool, strike in a cool flame		WO-733, .opl
2020-current	Oracle-Ruby	N	N	Y	N	kiln striking, reset before annealing at 950 for 90 minutes		RA-399, RE-695
2021-current	Oracle Violet Opal	N	N	Y	Y	reset, cool, strike in a cool flame		AuOpl
2019-current	Oracle-White	N	N	N	Y	avoid overheating to prevent seperation		WH-
2013-current	Ossa	Y	Y	N	N	speckled; work in a neutral flame, cool, reduce	Light	OP-
2012-current	Oxalis	Y	N	N	N	work in a neutral flame, cool, reduce		OX-, TO-
2008-2016	Pandora	Y	N	N	Y	strikes in the kiln.	Pandora 2 (2010), Dark, Light, Odd	PD-
2018-current	Phoebe	Y	Y	N	N	work in a neutral flame, cool, reduce		ZL-
2019-current	Phaeton	Y	Y	N	N	work in a neutral flame, cool, reduce	Light	PK-, PL-
2007-current	Psyche	Y	Y	N	N	work in a neutral flame, cool, reduce	Psyche Light, Dark	
2017-current	Rhea	N	N	N	Y	avoid overheating	Rhea Light	RO-, RN
2017-current	Skiron	N	N	Y	N	reset, cool, strike		SK-
2016-current	Skylla	N	N	Y	N	reset, cool, strike		TK-
2007-current	Terra	Y	Y	Y	N	Either treat as a striking color or reducing color rather than combining.	Terra 3 (2020) Terra 2 (2010), Fast Striking, Machine Pulled, Hand Pulled	TE-, T-, G-
2007-2016	Terranova	N	N	Y	N	reset, cool, strike. Replaced with Skylla	Terranova 2, 2.1 (2010), Light, Dark	TN-, Rh-, R-, H-
2014-2018	Thallo	Y	Y	N	N	work in a neutral flame, cool, reduce		OX-, TO-
2020-current	Theia	N	N	N	Y	avoid overheating to maintian color		RX, FX
2008-current	Triton	Y	Y	N	N	work in a neutral flame, cool, reduce	Light	SL-
2011-current	Zephyr	N	N	N	Y	Non-Reactive clear. Do not pickle, does not etch.	3mm, 5mm, 8mm, 12mm	ZE-

Years in Production	Color					Working Notes	Other Versions	Related Test Batches
		Reducing	Pearlescent	Striking	Technical			
Experiments that aren't production colors, yet.								
	Misc Striking	N	N	Y	N	test batches with no production color match. Reset, cool, strike		AK, HM, OC, RK, SR, VK-
	Misc Reducing	Y	y/n	N	N	test batches with no production color match. Work neutral, cool, reduce		BX, CH, DB, DPX, DPE, HK, LX, OO, SC, TL
	Catalyst	N	N	N	Y	reacts with reduction colors, causing them to strike on contact.		RE-391, ES-404, ES-405
	Tinted Opals	N	N	Y	Y	reset, cool, strike in a cool flame		yopl, blopl, pkopl
	Opaque Pink	N	N	Y	Y	apply hot, super heat, super chill, strike		SP-
	Pastels	N	N	N	N	neutral		pst
	Reverse Luster	Y	y/n	N	Y	Develops luster in oxidizing flame. Work neutral, cool, Oxidize		MX-, XX-
	Transparents	N	N	N	N	neutral		vtrn
	Technicals	N	N	N	Y			HWP
The very first Double Helix Glasswork's colors were handmade at the torch and sold on Ebay. These include, Dark Star, Emerald City, Kentucky Bourbon, Nebula, Northern Lights, Pacific Mist, Passion Flower, Purple Nebula, Rhubarb, River Rock and Sugar Plum.								